



100%  
PROTECTION



# ALUFAST HI-TECH INDUSTRIES

**Manufacturer of Aluminium Roofing Sheets & Accessories**

**Manufacturer of Colour Coated Sheets & Accessories & Turnkey Projects**

Cidco Plot No. 10, Road No. 6, Sector - 1/S, New Panvel - 410206

Office Landline No.: 022 2745 1672, Office Mob. No.: 9324583248 / 9324583249

Mob. No.: 9821623701 / 9324583250



# INTRODUCTION

Established in 1990, We Manufacture Different types of Roofing Sheets and Accessories, in Aluminium, Galvalume colour coated, GI colour coated & Polycarbonate Profile sheets Catering the demands of Various Types of Industries as well as Consumers and Dealers. We are known for Quality, and dimensional Precision in our Products and Also use Quality Certified Raw material as input from the established suppliers. Our goal is to serve our esteemed customer with cost effective Qualitative and timely delivered products which will satisfy our customers.


# OUR PROJECTS



# COLOUR ROOFING SHEETS

We produce different Trapezoidal & Roof Tile Profile. These are rolled out of highest quality raw material from reputed mills in different thicknesses and grades. Our Products are designed for various applications and are produced under strict quality system with tight tolerance. Various flashings and accessories to suit the Roofing and Cladding requirements of buildings are also provided.

## Profile Detail




## A Wide Range of Colours



## Product Specifications

Thickness (mm)	<b>0.40 - 0.60</b>
Width (mm)	<b>1050</b>
Substrate	<b>Al - Zn Alloy Steel</b>
Coil Form Coating Mass (gsm)	<b>70 - 150</b>
Hardness	<b>300 - 550 MPA</b>
Guard Film - Optional (microns)	<b>10 (Customised also)</b>



### Fundamental Product Structure for Colour-Coated Galvalume

- A - Cold rolled steel substrate
- 1 - Al - Zn Alloy Steel
- 2 - Pre-treatment (chromating)
- 3 - Primer
- 4 - Top Coat
- 5 - Backer Coat



We also manufacture Aluminium Trough Sheets in two different profiles

## ALUMINIUM INDUSTRIAL TROUGH SHEETS

Thickness (mm)	Kg/sq.m.	Kg/m	
		Ind-8 (1044mm)	Ind-7 (920mm)
0.91	3.23	3.36	2.96
0.71	2.50	2.62	2.31


Note : These figures are indicative only.

- Alloys : Everlast Aluminium Sheets are available in different alloys : AA3105, AA3003 and AA 8011
- Thickness : Everlast Aluminium Sheets are available in thickness varying from 0.60 mm to 1 mm
- Widths : Everlast Aluminium Sheets are available in different widths:
  - Trapezoidal Sheets: 1044 mm and 920 mm
  - Circular Corrugated Sheets: 1250 mm and 950 mm
- Length : Everlast Aluminium Sheets are available in lengths between 1500 mm and 6500 mm; customized lengths can be provided on request.



## ALUFAST INDUSTRIAL TROUGH SHEETS

Profile Detail - 2




ALUFAST ROOFING SHEET

Thickness (mm)	Kg/sq.m.	Kg/m
		Ind-6 (1050mm)
0.91	2.55	3.10
0.71	2.20	2.50

Note : These figures are indicative only.




- Alloys : Alufast Aluminium Sheets are available in different alloys - AA3105, AA3003 and AA 8011
- Thickness : Alufast Aluminium Sheets are available in thickness varying from 0.71 mm to 0.91 mm
- Widths : Alufast Aluminium Sheets are available in 1050 mm width
- Length : Alufast Aluminium Sheets are available in lengths between 1500 mm and 6500 mm; customized lengths can be provided on request.







# ACCESSORIES FOR ALUMINIUM ROOFING SHEETS



## “L” CRACK BOLT + CRANKED / CURVED WASHER + SQUARE NUT




## VALLEY GUTTER




## BOUNDARY WALL OR EAVES GUTTER



# ACCESSORIES FOR COLOUR COATED ROOFING SHEETS




**COLOURED  
GUTTER**




**COLOURED  
EDGE TRIM**




**COLOURED  
CLADDING  
CORNER**



**COLOURED  
ROOF CORNER**



**COLOURED  
LOUVER**




**COLOURED  
RIDGE**



**COLOURED  
N L CURVE**



**COLOURED ALUMINIUM  
N L CURVE**



**ALUMINIUM  
LOUVER BOX**



**LOUVER BOX**



**CURVE**



**TOURBO WITH  
POLY BASE**